

MAKOL SURGICAL 2



..... **DIAGNOSTICS**



Percussion Hammers



Percussion Hammers
WARTENBERG

190 mm - 7"

DP-786-02-03


1:2

1:1



1:1

BUCK

180 mm - 7"

DP-786-02-04


1:2

TROEMNER

240 mm - 9 1/2"

DP-786-02-05


1:2

TAYLOR

180 mm - 7"

DP-786-02-06

200 mm - 8"

DP-786-02-07

BERLINER

200 mm - 8"

DP-786-02-08


1:2

DÉJERINE

210 mm - 8"

DP-786-02-09


1:1

1:2

Diagnostic sets

DP-786-02-10

Opthalmoscope set



DP-786-02-11

Universal set



Diagnostic sets



DP-786-02-12

Combination set



DP-786-02-13

Otoscope set

Stethoscopes



1:2

PINARD

180 mm – 7"

DP-786-02-14

Wood



1:2

PINARD

150 mm – 6"

DP-786-02-15

Aluminium



1:4

DUPLEX

47 mm

DP-786-02-16
for adults
BABY-DUPLEX

37 mm

DP-786-02-17
for children


1:1

ANESTOPHON

47 mm

DP-786-02-18
for nurses, simple


1:4

Head mirrors



ZIEGLER

90 mm Ø	DP-786-02-19
---------	--------------

Head mirror with black plastic head band

ZIEGLER

90 mm Ø	DP-786-02-20
---------	--------------

Head mirror only, with rubber coating

90 mm Ø	DP-786-02-21
---------	--------------

Head mirror with soft, white plastic head band

DP-786-02-22	DP-786-02-23
--------------	--------------

Black plastic head band

White plastic head band

Measuring instruments


1:1

COLLIN

125 mm - 5"

DP-786-02-24
for children, kg-scale
DP-786-02-25
for adults, kg-scale
DP-786-02-26
for adults, lbs-scale


1:3

BERTILLON

320 mm - 12½"

DP-786-02-27


1:2

MOELTGEN

240 mm - 9½"

DP-786-02-28

Measuring instruments



100 mm - 4 "	DP-786-02-32
150 mm - 6 "	DP-786-02-33
200 mm - 8 "	DP-786-02-34
300 mm - 12 "	DP-786-02-35
500 mm - 20 "	DP-786-02-36



500 mm - 20 "	DP-786-02-37
---------------	---------------------

X-ray ruler



VERNIER

210 mm - 8 1/4 "	DP-786-02-29	DP-786-02-30
------------------	---------------------	---------------------

Aluminium

Steel



CASTROVIEJO

80 mm - 3 1/4 "	DP-786-02-31
-----------------	---------------------



1500 mm - 60 "	DP-786-02-38
----------------	---------------------

Wax cloth

Tongue depressors


1:2

160 mm - 6 $\frac{1}{4}$ "

DP-786-02-39
Wood


1:2

145 mm - 5 $\frac{3}{4}$ "

DP-786-02-40


1:2

KROENIG

150 mm - 6"

DP-786-02-41


1:2

MAYO

170 mm - 6 $\frac{3}{4}$ "

DP-786-02-42


1:2

BRUENINGS

190 mm - 7 $\frac{1}{2}$ "

DP-786-02-43


1:2

FRENZEL

165 mm - 6 $\frac{1}{2}$ "

DP-786-02-44

Tongue depressors

WIEDER

150 mm - 6"

DP-786-02-45

140 mm - 5½"

DP-786-02-46


1:2



1:2


BOSWOTH

145 mm - 5¾"

DP-786-02-47

1:2


TOBOLD

145 mm - 5¾"

DP-786-02-48

1:2


HARTMANN

150 mm - 6"

DP-786-02-49

1:2


ANDREW

110 mm - 4¾"

DP-786-02-50

1:2

Tongue holding forceps


YOUNG

170 mm - 6 $\frac{3}{4}$ "

DP-786-02-51


1:1


DP-786-02-52

1 Pair rubber-inserts


COLLIN

160 mm - 6 $\frac{1}{4}$ "

DP-786-02-53

170 mm - 6 $\frac{3}{4}$ "

DP-786-02-54

190 mm - 7 $\frac{1}{2}$ "

DP-786-02-55

Cheek retractors


STERNBERG

120 mm - 4 $\frac{3}{4}$ "

DP-786-02-56

140 mm - 5 $\frac{1}{2}$ "

DP-786-02-57

160 mm - 6 $\frac{1}{4}$ "

DP-786-02-58

Catheter forceps

MAGILL

170 mm - 6 "	DP-786-02-59		
200 mm - 8 "		DP-786-02-60	
250 mm - 9 "			DP-786-02-61



Laryngoscopes



Mc INTOSH

	Fig. 0	Fig. 1	Fig. 2	Fig. 3	Fig. 4	Fig. 5
	a = 55 mm	a = 70 mm	a = 90 mm	a = 110 mm	a = 130 mm	a = 150 mm
	DP-786-02-62	DP-786-02-64	DP-786-02-66	DP-786-02-68	DP-786-02-70	DP-786-02-72
LED	DP-786-02-63	DP-786-02-65	DP-786-02-67	DP-786-02-69	DP-786-02-71	DP-786-02-73

stainless steel



	Fig. 0	Fig. 1	Fig. 2	Fig. 3	Fig. 4	Fig. 5
	DP-786-02-74	DP-786-02-76	DP-786-02-78	DP-786-02-80	DP-786-02-82	DP-786-02-84
LED	DP-786-02-75	DP-786-02-77	DP-786-02-79	DP-786-02-81	DP-786-02-83	DP-786-02-85

Spare lamp



		Fig. 0	Fig. 1	Fig. 2	Fig. 3	Fig. 4
		a = 55 mm	a = 70 mm	a = 90 mm	a = 110 mm	a = 130 mm
	DP-786-02-86			x	x	x
	DP-786-02-87		x	x	x	x
	DP-786-02-88	x	x	x	x	x
LED	DP-786-02-89			x	x	x
LED	DP-786-02-90		x	x	x	x
LED	DP-786-02-91	x	x	x	x	x


Set in case with handle stainless steel

	DP-786-02-92	DP-786-02-93	DP-786-02-94
<i>Case for Mc Intosh, empty</i>	<i>for 3 blades</i>	<i>for 4 blades</i>	<i>for 5 blades</i>



Sterilizing information: All blades are autoclavable up to 134 °C (without lamp).

Laryngoscopes



MILLER

	Fig. 0	Fig. 1	Fig. 2	Fig. 3	Fig. 4
	a = 55 mm	a = 80 mm	a = 130 mm	a = 170 mm	a = 180 mm
	DP-786-02-95	DP-786-02-97	DP-786-02-99	DP-786-02-101	DP-786-02-103
LED	DP-786-02-96	DP-786-02-98	DP-786-02-100	DP-786-02-102	DP-786-02-104

stainless steel



	Fig. 0	Fig. 1	Fig. 2	Fig. 3	Fig. 4
	DP-786-02-105	DP-786-02-107	DP-786-02-109	DP-786-02-111	DP-786-02-113
LED	DP-786-02-106	DP-786-02-108	DP-786-02-110	DP-786-02-112	DP-786-02-114

Spare lamp



		Fig. 0	Fig. 1	Fig. 2	Fig. 3	Fig. 4
		a = 55 mm	a = 80 mm	a = 130 mm	a = 170 mm	a = 180 mm
	DP-786-02-115		x	x	x	
	DP-786-02-116		x	x	x	x
	DP-786-02-117	x	x	x	x	x
LED	DP-786-02-118		x	x	x	
LED	DP-786-02-119		x	x	x	x
LED	DP-786-02-120	x	x	x	x	x


Set in case with handle stainless steel

	DP-786-02-121	DP-786-02-122	DP-786-02-123
<i>Case for Miller, empty</i>	<i>for 3 blades</i>	<i>for 4 blades</i>	<i>for 5 blades</i>



Sterilizing information: All blades are autoclavable up to 134 °C (without lamp).

Laryngoscope handles



DP-786-02-124

chrome plated

DP-786-02-125

stainless steel

1:1



DP-786-02-126

chrome plated

DP-786-02-127

stainless steel

1:1



All handles are only sterilizable in a gassterilizer or can be cleaned in a disinfection solution. Not autoclavable and no sterilisation in hot-air. Akkumulator or battery housing must be taken off before. To use with spatulas illustrated on pages

Laryngoscopes – Cold light



MC INTOSH

Fig. 0	Fig. 1	Fig. 2	Fig. 3	Fig. 4	Fig. 5
a = 55 mm	a = 70 mm	a = 90 mm	a = 110 mm	a = 130 mm	a = 150 mm
DP-786-02-128	DP-786-02-129	DP-786-02-130	DP-786-02-131	DP-786-02-132	DP-786-02-133

stainless steel



	Fig. 0	Fig. 1	Fig. 2	Fig. 3	Fig. 4
	a = 55 mm	a = 70 mm	a = 90 mm	a = 110 mm	a = 130 mm
DP-786-02-134			x	x	x
DP-786-02-135		x	x	x	x
DP-786-02-136	x	x	x	x	x

Set in case with handle stainless steel



Sterilizing information: All blades are autoclavable up to 134 °C.

Laryngoscopes – Cold light

MILLER

Fig. 0	Fig. 1	Fig. 2	Fig. 3	Fig. 4
a = 55 mm	a = 80 mm	a = 130 mm	a = 170 mm	a = 180 mm
DP-786-02-137	DP-786-02-138	DP-786-02-139	DP-786-02-140	DP-786-02-141

stainless steel



	Fig. 0	Fig. 1	Fig. 2	Fig. 3	Fig. 4
	a = 55 mm	a = 80 mm	a = 130 mm	a = 170 mm	a = 180 mm
DP-786-02-142		x	x	x	
DP-786-02-143		x	x	x	x
DP-786-02-144	x	x	x	x	x

Set in case with handle stainless steel



Sterilizing information: All blades are autoclavable up to 134 °C.

Laryngoscope handles – Cold light

_____ a _____



MC INTOSH

Fig. 3	Fig. 4
a = 140 - 170 mm	a = 160 - 190 mm
DP-786-02-145	DP-786-02-146

MC INTOSH cold light laryngoscope blade with adjustable tip

Laryngoscope handles – Cold light



1:2

DP-786-02-147
Handle with battery container and halogen lamp


1:2

DP-786-02-148
Handle with battery container and LED lamp


1:2

DP-786-02-149
Handle with battery container and xenon lamp


All handles are only sterilizable in a gassterilizer or can be cleaned in a disinfection solution. Not autoclavable and no sterilisation in hot-air. Akkumulator or battery housing must be taken off before. To use with spatulas illustrated on pages

Laryngoscope-spare lamp



2.5 V / 1.9 W	3.6 V / 2.1 W
DP-786-02-150	DP-786-02-151

for battery

for accumulator handles



2.5 V / 1.8 W
DP-786-02-152

Halogen spare lamp

Xenon spare lamps, pack of 6 pieces



2.5 V / 1.3 W
DP-786-02-153

LED spare lamp

Laryngoscope handles – Cold light



DP-786-02-154

1:2

Rechargeable handle with battery container and LED lamp

DP-786-02-155


Charging station for 5176-11 230 volt



DP-786-02-156

Charging station for

Laryngoscopes


JACKSON

	x = 120 mm	x = 170 mm	x = 180 mm
	DP-786-02-157	DP-786-02-158	DP-786-02-159
<i>Jackson with light carrier, stainless steel</i>	<i>for babys</i>	<i>for children</i>	<i>for adults</i>

	x = 120 mm	x = 170 mm	x = 180 mm
	DP-786-02-160	DP-786-02-161	DP-786-02-162
<i>Light carrier, only, for Jackson</i>	<i>for babys</i>	<i>for children</i>	<i>for adults</i>


HOLINGER

	x = 171 mm	x = 180 mm
	DP-786-02-163	DP-786-02-164
<i>Holinger with light carrier, stainless steel</i>		

	x = 171 mm	x = 180 mm
	DP-786-02-165	DP-786-02-166
<i>Light carrier, only, for Holinger</i>		

Operation laryngoscopes

Fig. 1

x = 135 mm	DP-786-02-167
------------	----------------------

Stainless steel

Fig. 2

x = 152 mm	DP-786-02-168
------------	----------------------

Stainless steel

Fig. 3

x = 182 mm	DP-786-02-169
------------	----------------------

Stainless steel

Fig. 4


x = 172 mm	DP-786-02-170
------------	----------------------

Stainless steel


Operation laryngoscopes

Fig. 5
x = 172 mm
DP-786-02-171
Stainless steel

Fig. 6
x = 182 mm
DP-786-02-172
Stainless steel

Fig. 7
x = 222 mm
DP-786-02-173
Stainless steel

340 mm - 13"
DP-786-02-174
Chest support with support-rod for adults
240 mm - 9"
DP-786-02-175
Support-rod for children

Accessories for Operation laryngoscopes



DP-786-02-176

Injection drain tube for laryngoscopes



DP-786-02-177


Suction tube for laryngoscopes



DP-786-02-178

for laryngoscope

Accessories for Operation laryngoscopes



DP-786-02-179

for laryngoscopes



DP-786-02-180

for laryngoscopes



DP-786-02-181

Suction tube for laryngoscopes