

MAKOL SURGICAL 4



..... **SCISSORS**



Operating scissors

STANDARD

	Fig. 1	Fig. 2	Fig. 3
105 mm - 4 1/4"	DP-786-04-01	DP-786-04-10	DP-786-04-19
115 mm - 4 1/2"	DP-786-04-02	DP-786-04-11	DP-786-04-20
130 mm - 5"	DP-786-04-03	DP-786-04-12	DP-786-04-21
145 mm - 5 3/4"	DP-786-04-04	DP-786-04-13	DP-786-04-22
155 mm - 6"	DP-786-04-05	DP-786-04-14	DP-786-04-23
165 mm - 6 1/2"	DP-786-04-06	DP-786-04-15	DP-786-04-24
175 mm - 7"	DP-786-04-07	DP-786-04-16	DP-786-04-25
185 mm - 7 1/4"	DP-786-04-08	DP-786-04-17	DP-786-04-26
200 mm - 8"	DP-786-04-09	DP-786-04-18	DP-786-04-27


STANDARD

	Fig. 1	Fig. 2	Fig. 3
115 mm - 4 1/2"	DP-786-04-28	DP-786-04-36	DP-786-04-44
130 mm - 5"	DP-786-04-29	DP-786-04-37	DP-786-04-45
145 mm - 5 3/4"	DP-786-04-30	DP-786-04-38	DP-786-04-46
155 mm - 6"	DP-786-04-31	DP-786-04-39	DP-786-04-47
165 mm - 6 1/2"	DP-786-04-32	DP-786-04-40	DP-786-04-48
175 mm - 7"	DP-786-04-33	DP-786-04-41	DP-786-04-49
185 mm - 7 1/4"	DP-786-04-34	DP-786-04-42	DP-786-04-50
200 mm - 8"	DP-786-04-35	DP-786-04-43	DP-786-04-51

Operating scissors

GRAZIL

	Fig. 1	Fig. 2	Fig. 3
130 mm - 5 "	DP-786-04-52	DP-786-04-54	DP-786-04-56
145 mm - 5¾ "	DP-786-04-53	DP-786-04-55	DP-786-04-57


GRAZIL

	Fig. 1	Fig. 2	Fig. 3
130 mm - 5 "	DP-786-04-58	DP-786-04-60	DP-786-04-62
145 mm - 5¾ "	DP-786-04-59	DP-786-04-61	DP-786-04-63

Operating scissors

DEAVER

145 mm - 5 3/4"



1:2

DP-786-04-64
straight


1:2

DP-786-04-65
curved


1:2

DP-786-04-66
straight, saw edge


1:2

DP-786-04-67
curved, saw edge

LANGE

145 mm - 5 3/4"



1:2

DP-786-04-68
straight


1:2

DP-786-04-69
curved


1:2

DP-786-04-70
straight, saw edge


1:2

DP-786-04-71
curved, saw edge

Operating scissors


1:2

MIXTER

155 mm - 6"	DP-786-04-72	DP-786-04-73	DP-786-04-74	DP-786-04-75
	<i>straight</i>	<i>straight, saw edge</i>	<i>curved</i>	<i>curved, saw edge</i>



1:2



1:2


LEXER

160 mm - 6 $\frac{1}{4}$ "	DP-786-04-76	DP-786-04-78
210 mm - 8 $\frac{1}{4}$ "	DP-786-04-77	DP-786-04-79



Operating scissors


1:2

RICHTER

140 mm - 5½"

DP-786-04-80

FERGUSSON

140 mm - 5½"

DP-786-04-81

160 mm - 6¼"

DP-786-04-82

180 mm - 7"

DP-786-04-83


130 mm - 5"

DP-786-04-84

145 mm - 5¾"

DP-786-04-85

Operating scissors – Dissecting scissors

MAYO

145 mm – 5 ³ / ₄ "	DP-786-04-86	DP-786-04-90
150 mm – 6 "	DP-786-04-87	DP-786-04-91
170 mm – 6 ³ / ₄ "	DP-786-04-88	DP-786-04-92
230 mm – 9 "	DP-786-04-89	DP-786-04-93


MAYO-STILLE

150 mm – 6 "	DP-786-04-94	DP-786-04-98
170 mm – 6 ³ / ₄ "	DP-786-04-95	DP-786-04-99
195 mm – 7 ³ / ₄ "	DP-786-04-96	DP-786-04-100
210 mm – 8 ³ / ₄ "	DP-786-04-97	DP-786-04-101

Operating scissors – Dissecting scissors

MAYO-HARRINGTON

220 mm – 8 $\frac{3}{4}$ "


1:2



1:2

DP-786-04-102
DP-786-04-103

MAYO-NOBLE

170 mm – 6 $\frac{3}{4}$ "


1:2



1:2

DP-786-04-104
DP-786-04-105

Operating scissors – Dissecting scissors

WERTHEIM

145 mm – 5¾"	DP-786-04-106
225 mm – 8¾"	DP-786-04-107


METZENBAUM

150 mm – 6"	DP-786-04-108	DP-786-04-109
-------------	----------------------	----------------------



1:2



1:2

1:2

Operating scissors – Dissecting scissors

METZENBAUM

	Fig. 1	Fig. 2	Fig. 3
115 mm – 4½"	DP-786-04-110		
145 mm – 5¾"	DP-786-04-111	DP-786-04-112	DP-786-04-113


METZENBAUM

	Fig. 1	Fig. 2	Fig. 3
115 mm – 4½"	DP-786-04-114		
145 mm – 5¾"	DP-786-04-115	DP-786-04-116	DP-786-04-117



Operating scissors – Dissecting scissors

**METZENBAUM-
NELSON**

	Fig. 1	Fig. 2	Fig. 3
180 mm – 7 "	DP-786-04-118	DP-786-04-124	DP-786-04-130
200 mm – 8 "	DP-786-04-119	DP-786-04-125	DP-786-04-131
230 mm – 9 "	DP-786-04-120	DP-786-04-126	DP-786-04-132
250 mm – 9¾ "	DP-786-04-121	DP-786-04-127	DP-786-04-133
280 mm – 11 "	DP-786-04-122	DP-786-04-128	DP-786-04-134
300 mm – 12 "	DP-786-04-123	DP-786-04-129	DP-786-04-135


**METZENBAUM-
NELSON**

	Fig. 1	Fig. 2	Fig. 3
180 mm – 7 "	DP-786-04-136	DP-786-04-142	DP-786-04-148
200 mm – 8 "	DP-786-04-137	DP-786-04-143	DP-786-04-149
230 mm – 9 "	DP-786-04-138	DP-786-04-144	DP-786-04-150
250 mm – 9¾ "	DP-786-04-139	DP-786-04-145	DP-786-04-151
280 mm – 11 "	DP-786-04-140	DP-786-04-146	DP-786-04-152
300 mm – 12 "	DP-786-04-141	DP-786-04-147	DP-786-04-153

Operating scissors – Dissecting scissors

**METZENBAUM-
FINO**


1:2



1:2



1:2



1:2

	Fig. 1	Fig. 3	Fig. 1	Fig. 3
145 mm – 5¾"	DP-786-04-154	DP-786-04-155	DP-786-04-156	DP-786-04-157


**METZENBAUM-
FINO**


180 mm – 7"	DP-786-04-158	DP-786-04-161	DP-786-04-164
200 mm – 7¾"	DP-786-04-159	DP-786-04-162	DP-786-04-165
230 mm – 9"	DP-786-04-160	DP-786-04-163	DP-786-04-166

S-curved

Dissecting scissors

Gynaecological scissors

Fig. 1

Fig. 2

Fig. 1

Fig. 2

Gynaecological scissors


1:2

DUBOIS

270 mm – 10¾"

DP-786-04-177
DP-786-04-178


1:2



1:2



1:2

DOYEN

175 mm – 7"

DP-786-04-179
DP-786-04-180


1:2



1:2



1:2

SIEBOLD

240 mm – 9½"

DP-786-04-181
S-curved

Fine operating scissors


1:2



1:2



1:2



1:2

	Fig. 1	Fig. 2	Fig. 3
120 mm – 4 $\frac{3}{4}$ "	DP-786-04-182	DP-786-04-183	DP-786-04-184



1:2



1:2



1:2



1:2

	Fig. 1	Fig. 2	Fig. 3
120 mm – 4 $\frac{3}{4}$ "	DP-786-04-185	DP-786-04-186	DP-786-04-187



1:2



1:2



1:2

KNAPP

	DP-786-04-188	DP-786-04-189
105 mm – 4 $\frac{1}{4}$ "		
blunt		

Fine scissors

WAGNER

120 mm - 4³/₄"


1:2

straight


1:2

curved

DP-786-04-190	DP-786-04-191	DP-786-04-192	DP-786-04-193
<i>straight</i>	<i>straight, saw edge</i>	<i>curved</i>	<i>curved, saw edge</i>


**BROPHY
(SULLIVAN)**

145 mm - 5³/₄"


1:2



1:2

DP-786-04-194	DP-786-04-195
----------------------	----------------------


LITTLER

115 mm - 4¹/₂"

145 mm - 5³/₄"

DP-786-04-196
DP-786-04-197

Fine scissors

LOCKLIN

165 mm - 6½"

DP-786-04-198

DP-786-04-199

QUINBY

125 mm - 5"

DP-786-04-200

REYNOLDS

160 mm - 6¼"

DP-786-04-201

DP-786-04-203

180 mm - 7"

DP-786-04-202
DP-786-04-204

NEUMANN

120 mm - 4¾"

DP-786-04-205
S-curved

Fine scissors


105 mm – 4 1/4"



DP-786-04-206



DP-786-04-207



110 mm – 4 1/4"



DP-786-04-208



DP-786-04-209



90 mm – 3 1/2"



DP-786-04-210



DP-786-04-211

Fine scissors


90 mm - 3 1/2"	DP-786-04-212	DP-786-04-215
100 mm - 4"	DP-786-04-213	DP-786-04-216
115 mm - 4 1/2"	DP-786-04-214	DP-786-04-217


SANVENERO

145 mm - 5 3/4"	DP-786-04-218	DP-786-04-219
-----------------	-------------------------------	-------------------------------


LEXER-BABY

100 mm - 4"	DP-786-04-220	DP-786-04-221	DP-786-04-222	DP-786-04-223
	<i>straight</i>	<i>straight, saw edge</i>	<i>curved</i>	<i>curved, saw edge</i>

Fistula scissors

KELLY

160 mm – 6 1/4"	DP-786-04-224	DP-786-04-226
180 mm – 7"	DP-786-04-225	DP-786-04-227


Enucleation scissors

LANDOLDT

125 mm – 5"	DP-786-04-228	DP-786-04-229
-------------	----------------------	----------------------



1:2



1:2



1:2

110 mm – 4 1/4"
DP-786-04-230

1:2



1:2

CHADWICK

110 mm – 4 1/4"
DP-786-04-231

1:2

Plastic surgery scissors

JOSEPH

140 mm – 5½"

DP-786-04-232
DP-786-04-233


1:2



1:2


KILNER (RAGNELL)

120 mm – 4¾"

DP-786-04-234

150 mm – 6"

DP-786-04-235

GORNEY

200 mm – 8"

DP-786-04-236
DP-786-04-237


1:2



1:2


Please ask for our special catalogue for plastic surgery.

Artery scissors


145 mm - 5³/₄"

DP-786-04-238

1 Blade with probe



LINCOLN

170 mm - 6³/₄"



1:2



1:2

DP-786-04-239

DP-786-04-240



115 mm - 4¹/₂"

DP-786-04-241



FULTON

170 mm - 6³/₄"

DP-786-04-242



**POTTS-SMITH
(DE MARTEL)**

195 mm - 7³/₄"

DP-786-04-243

Artery scissors

FAVALORO


150 mm - 6"

DP-786-04-244

1:2



DE BAKEY

155 mm - 6"

DP-786-04-245
DP-786-04-246
Offset scissors, s-shaped


1:1

1:1


DE BAKEY


160 mm - 6 1/4"

230 mm - 9"


280 mm - 11"



25°



45°



60°

1:1

1:1

1:1


MILLS

225 mm - 8 3/4"


DP-786-04-256

1:2

Artery scissors


**POTTS-DE
MARTEL**

190 mm – 7½"




25°

1:1



45°

1:1



60°

1:1



125°

1:1

DP-786-04-257
DP-786-04-258
DP-786-04-259
DP-786-04-260



25°

1:1



45°

1:1



60°

1:1



90°

1:1



125°

1:1

180 mm – 7"

DP-786-04-261
DP-786-04-262
DP-786-04-263
DP-786-04-264
DP-786-04-265


25°

1:1




45°

1:1



60°

1:1



90°


1:1



125°

1:1

DP-786-04-266
DP-786-04-267
DP-786-04-268
DP-786-04-269
DP-786-04-270

Artery scissors

**DIETRICH-
HEGEMANN**

145 mm - 5 $\frac{3}{4}$ "	DP-786-04-271	DP-786-04-274	DP-786-04-277	DP-786-04-280	DP-786-04-283
160 mm - 6 $\frac{1}{4}$ "	DP-786-04-272	DP-786-04-275	DP-786-04-278	DP-786-04-281	DP-786-04-284
190 mm - 7 $\frac{1}{2}$ "	DP-786-04-273	DP-786-04-276	DP-786-04-279	DP-786-04-282	DP-786-04-285

Cartilage scissors

MARTIN-CARTILAGE

190 mm - 7½"	DP-786-04-286
--------------	----------------------

curved, saw edge


MC INDOE

190 mm - 7½"	DP-786-04-287
--------------	----------------------


POTTS-SMITH

190 mm - 7½"	DP-786-04-288
--------------	----------------------

Tonsil scissors

BOETTCHER

180 mm - 7"

DP-786-04-289

PRINCE

175 mm - 7"

DP-786-04-290

TOENNIS-ADSON

170 mm - 6¾"

DP-786-04-291

TOENNIS

180 mm - 7"



1:1



1:1

DP-786-04-292
DP-786-04-293

Tonsil scissors

DEAN

170 cm - 6 $\frac{3}{4}$ "

DP-786-04-294
DP-786-04-295
curved
curved, saw edge

WERTHEIM

190 mm - 7 $\frac{1}{2}$ "

DP-786-04-296

OLIVECRONA

230 mm - 9"

DP-786-04-297
Trigeminal scissors

GOOD

190 mm - 7 $\frac{1}{2}$ "

DP-786-04-298

Lobectomy scissors

CRAFOORD

300 mm - 12 "	DP-786-04-299
---------------	----------------------

1:3


WILLAUER

250 mm - 9 3/4 "	DP-786-04-300	DP-786-04-302
------------------	----------------------	----------------------

280 mm - 11 "	DP-786-04-301	DP-786-04-303
---------------	----------------------	----------------------

straight
curved

FINOCHIETTO

270 mm - 10 3/4 "	DP-786-04-304
-------------------	----------------------

1:3


RESANO

250 mm - 10 "	DP-786-04-305
---------------	----------------------

1:3

Thorax scissors

SATINSKY

245 mm - 9 $\frac{3}{4}$ "	DP-786-04-306
----------------------------	----------------------


KLINKENBERG-LOTH

230 mm - 9"	DP-786-04-307
-------------	----------------------


JORGENSEN

220 mm - 8 $\frac{3}{4}$ "	DP-786-04-308
----------------------------	----------------------

Enterotomy scissors


	Fig. 1	Fig. 2	Fig. 3
210 mm – 8 1/4"	DP-786-04-309	DP-786-04-310	DP-786-04-311

Umbilical scissors

BUSCH

130 mm - 5"	DP-786-04-312	DP-786-04-314
160 mm - 6 1/4"	DP-786-04-313	DP-786-04-315

saw edge

SCHUMACHER

160 mm - 6 1/4"	DP-786-04-316
-----------------	-------------------------------


MOD. USA

105 mm - 4 1/4"	DP-786-04-317
-----------------	-------------------------------

Episiotomy scissors



BRAUN-STADLER

145 mm - 5 $\frac{3}{4}$ " **DP-786-04-318**

220 mm - 8 $\frac{3}{4}$ " **DP-786-04-319**



WALDMANN

180 mm - 7" **DP-786-04-320**

1:2

Parametrium scissors


230 mm - 9"	225 mm - 8¾"
DP-786-04-321	DP-786-04-322

Nasal scissors

SAILER

170 mm - 6 $\frac{3}{4}$ "	DP-786-04-323
----------------------------	----------------------


HEYMANN

180 mm - 7"	DP-786-04-324
-------------	----------------------


FOMON

130 mm - 5"	DP-786-04-325
-------------	----------------------


COTTLE

160 mm - 6 $\frac{1}{4}$ "	DP-786-04-326
----------------------------	----------------------

Micro scissors

NOYES

	Fig. 1	Fig. 2	Fig. 3
120 mm - 4 $\frac{3}{4}$ "	DP-786-04-327	DP-786-04-328	DP-786-04-329
<i>straight</i>	<i>sharp - sharp</i>	<i>sharp - blunt</i>	<i>blunt - blunt</i>


NOYES

	Fig. 1	Fig. 2	Fig. 3
120 mm - 4 $\frac{3}{4}$ "	DP-786-04-330	DP-786-04-331	DP-786-04-332
<i>angulated</i>	<i>sharp - sharp</i>	<i>sharp - blunt</i>	<i>blunt - blunt</i>



Micro scissors


120 mm – 4 3/4"

DP-786-04-333

BARRAQUER

	55 mm – 2 1/4"
x = 7 mm	DP-786-04-334
x = 10 mm	DP-786-04-335


WECKER


	Fig. 1	Fig. 2	Fig. 3
110 mm – 4 1/4"	DP-786-04-336	DP-786-04-337	DP-786-04-338
	<i>sharp – blunt</i>	<i>blunt – blunt</i>	<i>sharp – sharp</i>

Micro scissors


Additional micro scissors on page



WESTCOTT

115 mm - 4½"



1:1



1:1

DP-786-04-339

DP-786-04-340



CASTROVIEJO

90 mm - 3½"

DP-786-04-341

1:1

Micro scissors

VANNAS

80 mm - 3 1/4"



1:1



1:1

DP-786-04-342
DP-786-04-343

CASTROVIEJO

100 mm - 4"



1:1



1:1

DP-786-04-344
DP-786-04-345
sharp - sharp
blunt - blunt

Tenotomy scissors

WESTCOTT

110 mm – 4 1/4"



1:1

DP-786-04-346
sharp – sharp


1:1

DP-786-04-347
blunt – blunt

Iris scissors


120 mm – 4 3/4"



1:2



1:2

DP-786-04-348
DP-786-04-349


115 mm – 4 1/2"



1:2



1:2




1:2




1:2

DP-786-04-350
DP-786-04-351
DP-786-04-352
DP-786-04-353
straight
curved
angular
laterally curved

Tenotomy scissors

STEVENS

100 mm - 4"	DP-786-04-354	DP-786-04-356
110 mm - 4 1/4"	DP-786-04-355	DP-786-04-357

sharp - sharp

STEVENS

100 mm - 4"	DP-786-04-358	DP-786-04-360
110 mm - 4 1/4"	DP-786-04-359	DP-786-04-361

blunt - blunt

WALTON

100 mm - 4"
DP-786-04-362



1:2


GRAEFE

95 mm - 3 3/4"
DP-786-04-363

1:2


Strabismus scissors



Anatomy scissors



115 mm – 4½"	DP-786-04-368	DP-786-04-371
130 mm – 5"	DP-786-04-369	DP-786-04-372
140 mm – 5½"	DP-786-04-370	DP-786-04-373

Scissors


Ligature scissors

LITTAUER

140 mm - 5½"

DP-786-04-379


1:2


O'BRIEN

90 mm - 3½"

DP-786-04-380

1:2


SPENCER

90 mm - 3½"

DP-786-04-381

105 mm - 4¼"

DP-786-04-382

130 mm - 5"

DP-786-04-383


115 mm - 4½"

DP-786-04-384

1:2


BUCK

145 mm - 5¾"

DP-786-04-385

180 mm - 7"

DP-786-04-386

Ligature scissors

NORTHBENT

90 mm - 3½"	DP-786-04-387
125 mm - 5"	DP-786-04-388


HEATH

150 mm - 6"	DP-786-04-389
-------------	----------------------

saw edge

1:2



120 mm - 4¾"	DP-786-04-390
--------------	----------------------

saw edge

1:2


EISELSBERG

110 mm - 4¼"	DP-786-04-391
--------------	----------------------

1:2



105 mm - 4¼"	DP-786-04-392
--------------	----------------------

1:2

Wire cutting scissors

UNIVERSAL

120 mm – 4 3/4"

DP-786-04-393
saw edge

HARVEY

125 mm – 5"

DP-786-04-394
saw edge

SCHUHKNECHT

125 mm – 5"

DP-786-04-395
saw edge

BEEBEE

100 mm – 4"


120 mm – 4 3/4"

straight, saw edge for soft wire up to ø 0.8 mm

blunt – blunt

sharp – sharp

blunt – blunt, saw edge


sharp – sharp
DP-786-04-396
DP-786-04-398
DP-786-04-400
DP-786-04-402
DP-786-04-397
DP-786-04-399
DP-786-04-401
DP-786-04-403

BEEBEE

100 mm – 4"

120 mm – 4 3/4"

curved, saw edge for soft wire up to ø 0.8 mm

blunt – blunt

sharp – sharp

blunt – blunt, saw edge

sharp – sharp
DP-786-04-404
DP-786-04-406
DP-786-04-408
DP-786-04-410
DP-786-04-405
DP-786-04-407
DP-786-04-409
DP-786-04-411

Bandage scissors

UNIVERSAL

150 mm - 6 "	DP-786-04-412
180 mm - 7 "	DP-786-04-413


LISTER

90 mm - 3 1/2 "	DP-786-04-414
110 mm - 4 1/4 "	DP-786-04-415
140 mm - 5 1/2 "	DP-786-04-416
160 mm - 6 3/4 "	DP-786-04-417
180 mm - 7 "	DP-786-04-418
200 mm - 8 "	DP-786-04-419



180 mm - 7 "	DP-786-04-420
200 mm - 8 "	DP-786-04-421

Bandage scissors

LANGE

180 mm - 7"

DP-786-04-422


1:2


KNOWLES

140 mm - 5½"

DP-786-04-423


1:2



160 mm - 6¼"

DP-786-04-424

1:2


SMITH (MOD. USA)

160 mm - 6¼" **DP-786-04-425**

180 mm - 7" **DP-786-04-426**

200 mm - 8" **DP-786-04-427**

230 mm - 9" **DP-786-04-428**

Bandage scissors – Plaster shears

ESMARCH

200 mm – 8"	DP-786-04-429
220 mm – 8¾"	DP-786-04-430


EXCENTRIC

160 mm – 6¼"	DP-786-04-431
190 mm – 7½"	DP-786-04-432

saw edge

BERGMANN

230 mm – 9"	DP-786-04-433
-------------	----------------------

1:2


LORENZ

230 mm – 9"	DP-786-04-434
-------------	----------------------

1:2

Plaster shears

BRUNS

240 mm - 9½"



1:2



1:2

DP-786-04-435
DP-786-04-436
saw edge


1:2

200 mm - 8"

DP-786-04-437


1:2

230 mm - 9"

DP-786-04-438

Cuticle scissors – Nail scissors


100 mm – 4 "	DP-786-04-439	DP-786-04-441
110 mm – 4 1/4 "	DP-786-04-440	DP-786-04-442



90 mm – 3 1/2 "	DP-786-04-443	DP-786-04-446
100 mm – 4 "	DP-786-04-444	DP-786-04-447
110 mm – 4 1/4 "	DP-786-04-445	DP-786-04-448


Nail splitting scissors


130 mm – 5 "	DP-786-04-449
150 mm – 6 "	DP-786-04-450


SYSTRUNK

130 mm – 5 "	DP-786-04-451	DP-786-04-452
--------------	----------------------	----------------------



1:2



1:2

Nail nippers


110 mm - 4 1/4"	DP-786-04-453
130 mm - 5"	DP-786-04-454
150 mm - 6"	DP-786-04-455



140 mm - 5 1/2"
DP-786-04-456



140 mm - 5 1/2"
DP-786-04-457


TURNBULL

115 mm - 4 1/2"	DP-786-04-458
130 mm - 5"	DP-786-04-459



100 mm - 4"
DP-786-04-460


COHEN

100 mm - 4"
DP-786-04-461